

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	58	((send\$3 or transmit\$3) with (test adj (packet41 or frame\$1 or cell\$1))) and ("time slot" or timeslot or time-slot)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/28 23:35
L3	481	((send\$3 or transmit\$3) with (test adj (packet41 or frame\$1 or cell\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/28 23:35
L4	90	L3 and ((choos\$3 or select\$3 or assign\$3) with (timeslot or time-slot or "time slot" or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/29 00:13
L6	102	(test adj (packet\$1 or frame\$1 or cell\$1)) same ((choos\$3 or select\$3 or assign\$3) with (timeslot or time-slot or "time slot" or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/29 00:12
L8	483	(test adj (packet\$1 or frame\$1 or cell\$1)) same (JITTER OR DELAY)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/29 00:24
L10	37	L9 and ((choos\$3 or select\$3 or assign\$3) with (timeslot or time-slot or "time slot" or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/29 00:24
L11	573	((test or probe) adj (packet\$1 or frame\$1 or cell\$1)) same (JITTER OR DELAY)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/29 00:24
L12	93	L11 and ((choos\$3 or select\$3 or assign\$3) with (timeslot or time-slot or "time slot" or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/03/29 00:24

☐ Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Thu, 29 Mar 2007, 12:45:30 AM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

**Search Query Display**

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

**Recent Search Queries**

- #1 (( (~~test packet~~) or (~~probe packet~~)<in>metadata )  
<and> ( (jitter) or (delay)<in>metadata ) )<and> ( (~~timeslot~~  
or ~~time-slot~~ or ~~time slot~~) or (channel)<in>metadata ) )  
<and> (pyr >= 1950 <and> pyr <= 2003)
- #2 ( (~~test packet~~ or ~~probe packet~~<in>metadata ) <and>  
( (delay or jitter)<in>metadata ) )
- #3 ( (~~test packet~~ or ~~probe packet~~<in>metadata ) <and>  
( (delay or jitter)<in>metadata ) )
- #4 ( (~~test packet~~ or ~~probe packet~~<in>metadata ) <and>  
( (delay or jitter)<in>metadata ) )
- #5 ( (~~test packet~~ or ~~probe packet~~<in>metadata ) <and>  
( (delay or jitter)<in>metadata ) )

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -